

PLEASE READ THE FOLLOWING INSTRUCTIONS CAREFULLY AT LEAST TWO WEEKS BEFORE YOUR PROCEDURE:



If you have any questions, please do not hesitate to call our office.

Gastro Health

Anita M. Wolke, M.D. Alan J. Plotner, M.D. Andrew M. Axelrad, M.D E. Christian Noguera, M.D. Emil F. Valle, M.D. Shilen V. Lakhani, M.D. Minal M. Patel, M.D.

Reston

1939 Roland Clarke Place Suite 200 Reston, VA 20191 703-435-3366

Procedure Scheduling for Reston Hospital Center, Reston Surgery Center and Reston Endoscopy Center 703-435-3366

Reston Hospital Center

1850 Town Center Parkway Reston, VA 20190 703-689-9000

Reston Endoscopy Center

1939 Roland Clarke Pl Suite 200 Reston, VA 20191 703-435-3366

Reston Surgery Center

1860 Town Center Drive St. G100 Reston, VA 20190 703-639-3100

COLONOSCOPY INSTRUCTIONS

- Prescribed medications for heart disease, high blood pressure and asthma may be taken prior to your procedure. All other medications, including diabetic medications, should be brought along with you to be taken after your procedure.
- Please stop Plavix 5 days prior to your procedure, or Coumadin 4 days prior.
 Please do not stop either of medication without consulting your prescribing physician.
- If you are taking iron, this **MUST** be stopped 7 days prior to your procedure.
- <u>DO NOT</u> eat foods containing seeds for five days prior to your procedure, i.e. sesame or poppy seeds, strawberries, black pepper, corn or tomato skins. Do not eat olestra potato chips. If by chance you have eaten these products, still proceed with your preparation.
- Please advise the physician if you have a <u>prosthetic heart valve</u> or if you have a <u>serious heart murmur</u>. Also advise physician if you have had any cardiac procedures in the last year.
- On the day of your colonoscopy you will receive intravenous sedation. **These medications will impair your driving ability.** You must arrange for someone to take you home after your procedure. You may not drive until the next day.
- Your procedure will take place at one of the following sites:
- 1. **Reston Hospital Center (703) 689-9000** report to the Same Day Surgery department at least 2 hours prior to your scheduled procedure.
- 2. Reston Endoscopy Center (703)435-3366 report to the center at least 30 minutes prior to your scheduled procedure.
- 3. Reston Surgery Center (703) 639-3100 report to the center at least 1 hour prior to your scheduled procedure.

The physician will give you written instructions with regards to eating after your colonoscopy.

This packet contains the **Golytley Prep**. If you are unable to complete the prep, please call the Doctor's office line and the Physician on call will contact you.

Golytley Prep for Colonoscopy:

At Least One Week before the Procedure:

1. Fill the prescription for Golytely.

One Day before the Procedure:

- 1. Begin a clear liquids diet starting at breakfast and continue for the entire day. See attached list for "Clear Liquid Diet". <u>Drink at least eight to ten</u> 8 fluid ounce glasses of liquid throughout the day.
- 2. In the morning (the day before the procedure), fill your Golytely bottle with water. Refrigerate mixture.
- 3. At 6:00 p.m. add the flavor packet to the mixture, and drink one 8 ounce glass of the solution every 10-15 minutes until half of the solution has been consumed.
- 4. Continue to drink as much clear liquids as possible until bedtime.

The Morning of the Procedure:

- 1. Wake 5 hours before your procedure time and complete the Golytely solution over 1 hour. If you feel you will need more than 1 hour to complete the remaining solution, please adjust the time you are waking up.
- 2. Upon finishing the solution, **NOTHING** by mouth is permitted. This includes mints, gum, ice cubes, etc.
 - It is OK to take your blood pressure or heart medication with enough water to
- 3. swallow the medications. DO NOT take diabetes medication WITHOUT PRIOR INSTRUCTION from your Primary Care Physician (your dosage may have to be adjusted). Clear liquids are allowed up to 6 hours before procedures.

If you have any questions or concerns, please call our office, 703-435-3366.

CLEAR LIQUID DIET

This diet provides fluids that leave little residue and are easily absorbed with minimal digestive activity. This diet is inadequate in all essential nutrients and is recommended only if clear liquids are temporarily needed. **No red or purple** liquids should be consumed!

| Food Group | Foods Allowed | Foods to Avoid | | |
|---|--|-------------------------------|--|--|
| Milk & Beverages No red or purple liquids! | Tea and coffee (no creamer), carbonated beverages, fruit flavored drinks | Milk, creamer, milk drinks | | |
| Meats & Meat Substitutes | None | Fruit juices with | | |
| Vegetables | None | unstrained fruit | | |
| Fruits & Fruit Juices | Strained fruit juices: apple, white grape, lemonade | | | |
| Grains & Starches | None | | | |
| Soups | Clear broth, consommé Clear flavored gelatin, popsicles No red or purple flavors | | | |
| Desserts | | | | |
| Fats | None | | | |
| 1iscellaneous | Sugar, honey, syrup, clear hard candy, salt | | | |
| | | | | |

The following menu is only a suggestion

Breakfast

4 oz. White grape juice 6 oz. Clear broth JELL-O®* Tea

* Plain only, no fruit or toppings

Lunch

4 oz. Apple juice 6 oz. Clear broth JELL-O®*

Dinner

4 oz. Lemonade 6 oz. Clear broth JELL-O®* Tea

Jell-O is a registered trademark of Kraft General Foods, Inc.

Gastro Health

Anita Wolke, M.D. Alan Plotner, M.D. Andrew Axelrad, M.D. E. Christian Noguera, M.D. Emil Valle, M.D. Shilen Lakhani, M.D. Minal Patel, M.D.

| 1. | Axelrad, Dr. Noguera, Dr. Valle, an selected by him/her to perform the | d Dr. Lakhan following pr bleeding, perl | est, consent to, and authorize Dr. Wolke, Dr. Plotner, Dr. (the "Practitioner") and such surgical assistants as may be ocedure(s): colonoscopy with possible biopsy . Risk of druoration and need for surgery have been explained to me. possibility of missing lesions. | ıg | | |
|-----|--|---|--|------------------------|--|--|
| 2. | not been expected may present the necessary to do more than that wh the above named Practitioner and best professional judgment, will be limited to, pathology and radiology | emselves. I re ich is specifie his/her surgic effective in t y. I further au tever anesthe | he course of this operation, some other conditions which he cognize that if such conditions are discovered it will be d in paragraph #1 above. I, therefore, authorize and reque al assistants perform such surgical procedures which, in the heir attempt to heal and/or diagnose. This includes, but is thorize the Anesthesiologist or nurse anesthetist selected besia they feel is indicated; and authorize the use of blood is required. | est that eir not | | |
| 3. | . I fully understand that this operation, like any operation, is accompanied by some degree of risk and that no cure is guaranteed. | | | | | |
| 4. | The nature of my (or the patient's) condition, the nature of the procedure(s) listed under paragraph #1 above, the risks involved and whatever other choices are available to me (or the patient), if any, have been explained by a representative of The Gastroenterology Group, P.C. and I have been given the opportunity to ask any questions that I may have regarding that explanation and my questions have been answered satisfactorily. | | | | | |
| | Signature of Patient | Date | Signature of Witness Date | ! | | |
| Sig | nature of Next of Kin or Guardian | Date | - | | | |
| | | ed, in non-tuardian, the | AN'S STATEMENT: echnical terms, the proposed procedure to the major risks or consequences of this procedure, any alternatives. | | | |
| | | Date | | | | |

OPERATIVE REQUEST/CONSENT (Colonoscopy)